App. No.: 10/808,717 Docket No.: 31175413-005002 Amdt. dated March 29, 2007 (PATENT)

I. AMENDMENTS TO THE CLAIMS

This listing of the claims will replace all prior versions and listings.

LISTING OF CLAIMS:

Claims 1-26 (canceled).

Claim 27 (currently amended) A method of manipulating the metabolism of a cell increasing Coenzyme A (CoA) flux, comprising:

- a) generating a bacterial cell comprising:
 - i) a first recombinant gene encoding pantothenate kinase (PanK);
 - ii) a second recombinant gene encoding pyruvate dehydrogenase (PDH), and
 - iii) a third recombinant gene encoding alcohol acetyl transferase (ATF);
- b) culturing said cell in a cell medium comprising panthenoic pantothenic acid under conditions wherein said recombinant genes are expressed, thereby increasing CoA production flux relative to said bacterial cell without said recombinant genes.
- Claim 28 (currently amended) The method of claim 27, wherein the bacterial cell further comprises reduced activity of *ackA*, or *pta*, or both *ackA-pta*.
- Claim 29 (previously presented) The method of claim 27, where the panK gene is under the control of the lac promoter and the atf[[2]] gene is under the control of the ptb promoter.
- Claim 30 (previously presented) The method of claim 27, wherein said cell is cultured in a bioreactor, fermentor, chemostat, or shaker-flask culture.
- Claim 31 (currently amended) The method of claim 27, wherein increasing said CoA production increases production of isoamyl acetate flux increases conversion of an alcohol to an ester.
- Claim 32 (currently amended) A method of increasing Coenzyme A (CoA) dependent metabolism flux comprising:

App. No.: 10/808,717 Docket No.: 31175413-005002 Amdt. dated March 29, 2007 (PATENT)

a) generating a bacterial cell comprising:

i) a combination of recombinant genes encoding alcohol pantothenate kinase (PanK) and pyruvate dehydrogenase (PDH) and alcohol acetyl transferase (ATF);

ii) reduced activity of ackA, or pta, or both ackA-pta;

culturing said cell in a medium comprising panthenoic pantothenic acid and isoamyl alcohol under conditions wherein said combination of recombinant genes is expressed, thereby increasing CoA production flux, and thereby increasing production of isoamyl alcohol acetate.

Claim 33 (previously presented) The method of claim 31, where the *panK* gene is under the control of the *lac* promoter and the *atf*[[2]] gene is under the control of the *ptb* promoter.